HP DesignJet Z6 PostScript Printer series



High-definition prints, fast and secure. More quality with fewer inks.



PRECISE—Clearly distinguish subtle details

- Read details more clearly and see high-contrast color with new high-definition HP printheads.
- No need for light inks with HP's dual drop technology
- Get smooth gradients, even for challenging color combinations, with HP Pixel Control.
- Work with water- and fade-resistant prints, indoors and out, with HP Vivid Photo Inks.

FAST—Work without delays

- Handle even the most complex files with powerful processing architecture and the Adobe PDF Print Engine.³
- Cut maps to different sizes in fewer steps with the first printer including an integrated vertical
- Print up to 20% faster⁴ with 2400 nozzle-perinch, high-definition HP printheads.
- Spend less time on media changes and adjustments with dual roll support and automatic roll switching.

SECURE—Protect your work and your information

- Protect printers/data from unauthorized access with HP Secure Boot, whitelisting, and encrypted hard disk.
- Protect documents, preserve confidentiality with authentication solutions like PIN printing, card
- Secure your printers with HP JetAdvantage Security Manager; manage your fleet remotely with HP Web Jetadmin.

For more information, please visit http://www.hp.com/go/designjetZ6

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. More at: http://www.hp.com/go/learnaboutsupplies

¹ Vertical trimmer and dual rolls included with the HP DesignJet Z6dr 44-in PostScript® Printer with V-Trimmer only.
2 Performance may vary based on writing system differences. Print permanence estimates by HP Image Permanence Lab based on the same formulation of HP Vivid Photo Inks used with the HP DesignJet Z6200 Photo Production Printer, using 6 inks. Water resistance performance varies based on printer and print profile. Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method.
Display permanence rating for interior displays/away from direct sunlight by HP Image Permanence Lab on a range of HP media. For more information, see http://www.HPLFMedia.com/printpermanence.

3 The Adobe PDF Print Engine (APPE) is Adobe's high speed, high fidelity print platform. Version 4 extends APPE's leading edge for print reproduction with new performance efficiencies and breakthrough rendering features. APPE 4 enables printers to increase workflow efficiency and capitalize on the profit potential of innovations in inkjet print technology. To learn more, visit http://www.adobe.com/prioducts/pdpfrintengine.

4 Based on internal HP testing. Up to 20% faster printing compared to the HP DesignJet Z2600 PostScript® Printer and HP DesignJet Z5600 PostScript® Printer. May vary depending on print mode and media type. ⁵ Card reader functionality enabled through optional third-party solutions.

Technical specifications

Print	
Print speed	24-in: Fast: 66.9 m²/hr on plain media Normal: 15.2 m²/hr on coated media Best: 7.9 m²/hr on glossy media 44-in: Fast: 80.5 m²/hr on plain media
	Normal: 18.8 m²/hr on coated media Best: 9.7 m²/hr on glossy media ¹
Print resolution	Up to 2400 x 1200 optimized dpi
Technology	HP Thermal Inkjet
Margins	Roll: $5 \times 5 \times 5 \times 5$ mm (borderless on selected media ³ , or on all media with V-Trimmer ⁴) Sheet: $5 \times 17 \times 5 \times 5$ mm
Ink types	Pigment-based
Ink drop	7/3 pl dual-drop weight (M, C, PK); 6 pl single-drop weight (Y, CR, MK)
Printheads	3 universal printheads (valid for all colors)
Printhead nozzles	2112 per color
Line accuracy Minimum line width	±0.1% ⁵
Short-term color stability	0.02 mm (PDF addressable @ 1200 dpi) < 1 dE2000 in less than 5 minutes ⁷
Long-term print-to-print repeatability	Average < 0.5 dE2000, 95% of colors < 1.4 dE2000 ⁷
Max optical density	4 L* min/2.5 D ⁷
Media	
Handling	Single-roll: Roll feed, top sheet feed, media output bin, automatic horizontal cutter Dual-roll: Two automatic roll feeds, smart roll-switching, top sheet feed, media output bin, automatic horizontal cutter and vertical trimmer (cuts all HP 2-series printer-qualified media, including most canvas)
Roll size	24-in: 279 to 610-mm 44-in: 279 to 1118-mm
Sheet size	24-in: 210 x 279 to 610 x 1676 mm 44-in: 210 x 279 to 1118 x 1676 mm
Standard sheets	24-in: A4, A3, A2, A1 44-in: A4, A3, A2, A1, A0
Grammage	80 to 500 g/m²
Thickness	Up to 0.8 mm
Applications	Banners; Exhibition and event graphics; Light boxes - film; Maps; Orthophotos; Point of sale/display; Posters
Memory	128 GB (virtual) ⁸
Hard disk	500 GB self-encrypting
Connectivity Interfaces	Gigabit Ethernet (1000Base-T) (802.3, 802.3u, 802.3ab); Hi-Speed USB 2.0 certified interface for direct printing from USB flash drive
Print languages (standard)	Adobe PostScript 3, Adobe PDF 1.7, TIFF, JPEG, CALS G4, HP-GL/2, HP-RTL
Printing paths	Apple AirPrint, direct printing from USB flash drive, email printing, HP Click, HP driver for macOS, HP driver for Windows, HP driver for Linux, printing support for Chrome OS, HP Print Service Plugin for Android, HP SmartStream
Drivers	Raster and PostScript drivers for Windows and macOS PDF driver for Windows 8 and above
Security features	HP Secure Boot, Whitelisting, Role Based Access Control, SNMPv3, HTTPS, Secure-IPP, IPsec/Firewall, Certificates management, 802.1X, TLS 1.0/1.1/12, HP Web Jetadmin compatible, HP JetAdvantage Security Manager compatible, Secure Disk erase (10.0) 520.22-4M, Secure File erase, self-encrypted HDO, PIN printing
Dimensions (w x d x h)	
Printer	24-in: 1293 x 695 x 998 mm 44-in: 1802 x 695 x 998 mm
Shipping	24-in: 1440 x 766 x 718 mm 44-in: 1950 x 766 x 718 mm
Weight	
Printer	66-96 kg
Shipping	97-132 kg
What's in the box HP Software and solutions	HD DesignJet Z6 PostScript Printer, printheads, introductory ink cartridges, printer stand and media bin, spindle, 3-in core adapter ⁹ , quick reference guide, setup poster, power cord
HP Software and solutions	
F	Printer drivers, HP Click, HP Web Jetadmin, HP JetAdvantage Security Manager, HP DesignJet Utility including HP Color Center, HP Partner Link Pay-per-use, HP MPS
Environmental ranges	Center, HP Partner Link Pay-per-use, HP MPS
Operating temperature	Center, HP Partner Link Pay-per-use, HP MPS 5 to 40°C
Operating temperature Operating humidity	Center, HP Partner Link Pay-per-use, HP MPS 5 to 40°C 20 to 80% RH
Operating temperature	Center, HP Partner Link Pay-per-use, HP MPS 5 to 40°C
Operating temperature Operating humidity Storage temperature Acoustics	Center, HP Partner Link Pay-per-use, HP MPS 5 to 40°C 20 to 80% RH -25 to 55°C
Operating temperature Operating humidity Storage temperature	Center, HP Partner Link Pay-per-use, HP MPS 5 to 40°C 20 to 80% RH
Operating temperature Operating humidity Storage temperature Acoustics Sound pressure	Center, HP Partner Link Pay-per-use, HP MPS 5 to 40°C 20 to 80% RH -25 to 55°C 42-45 dB(A) (operating), 33 dB(A) (idle), <16 dB(A) (sleep)
Operating temperature Operating humidity Storage temperature Acoustics Sound pressure Sound power	Center, HP Partner Link Pay-per-use, HP MPS 5 to 40°C 20 to 80% RH -25 to 55°C 42-45 dB(A) (operating), 33 dB(A) (idle), <16 dB(A) (sleep)
Operating temperature Operating humidity Storage temperature Acoustics Sound pressure Sound power Power	Center, HP Partner Link Pay-per-use, HP MPS 5 to 40°C 20 to 80% RH -25 to 55°C 42-45 dB(A) (operating), 33 dB(A) (idle), <16 dB(A) (sleep) 6.0-6.3 B(A) (operating), S.1 B(A) (idle), <3.4 B(A) (sleep)
Operating temperature Operating humidity Storage temperature Acoustics Sound pressure Sound power Power Consumption	Center, HP Partner Link Pay-per-use, HP MPS 5 to 40°C 20 to 80% RH -25 to 55°C 42-45 dB(A) (operating), 33 dB(A) (idle), <16 dB(A) (sleep) 6.0-6.3 B(A) (operating), 5.1 B(A) (idle), <3.4 B(A) (sleep) <100 W (printing); < 3.2 W (ready); < 0.3 W (< 6.5 W with embedded Digital Front End) (sleep); 0.1 W (off)
Operating temperature Operating humidity Storage temperature Acoustics Sound pressure Sound power Power Consumption Requirements	Center, HP Partner Link Pay-per-use, HP MPS 5 to 40°C 20 to 80% RH -25 to 55°C 42-45 dB(A) (operating), 33 dB(A) (idle), <16 dB(A) (sleep) 6.0-6.3 B(A) (operating), 5.1 B(A) (idle), <3.4 B(A) (sleep) <100 W (printing); < 3.2 W (ready); < 0.3 W (< 6.5 W with embedded Digital Front End) (sleep); 0.1 W (off)
Operating temperature Operating humidity Storage temperature Acoustics Sound pressure Sound power Power Consumption Requirements Certification	Center, HP Partner Link Pay-per-use, HP MPS 5 to 40% 20 to 80% RH -25 to 55% 42-45 dB(A) (operating), 33 dB(A) (idle), <16 dB(A) (sleep) 6.0-6.3 B(A) (operating), 5.1 B(A) (idle), <3.4 B(A) (sleep) < 100 W (printing); < 32 W (ready); < 0.3 W (<6.5 W with embedded Digital Front End) (sleep); 0.1 W (off) Input voltage (auto ranging): 100-240 V (±10%), 50/60 Hz (±3 Hz), 2 A max USA and Canada (CSA certified); EU (LVD and EN 60950-1 compliant); Russia, Belarus, Khazakstan (EAC); Singapore (PSB);
Operating temperature Operating humidity Storage temperature Acoustics Sound pressure Sound power Power Consumption Requirements Certification Safety	Center, HP Partner Link Pay-per-use, HP MPS 5 to 40°C 20 to 80% RH -25 to 55°C 42-45 dB(A) (operating), 33 dB(A) (idle), <16 dB(A) (sleep) 6.0-6.3 B(A) (operating), 5.1 B(A) (idle), <3.4 B(A) (sleep) <100 W (printing); <32 W (ready); <0.3 W (<6.5 W with embedded Digital Front End) (sleep); 0.1 W (off) Input voltage (auto ranging): 100-240 V (±10%), 50/60 Hz (±3 Hz), 2 A max USA and Canada (ICSA certified); EU (LVD and EN 60950-1 compliant); Russia, Belarus, Khazakstan (EAC); Singapore (PSB); China (ICCC); Argentina (IRAM); India (BIS) Compliant with Class B requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New

Ordering information

HP DesignJet Z6 24-in PostScript Printer HP DesignJet Z6 44-in PostScript Printer HP DesignJet Z6dr 44-in PostScript Printer with V-Trimmer

Accessorie

HP Design.let 44-in Take-up Reel
HP SmartStream Print Controller USB for HP Design.let Production Printers
HP SmartStream Print Controller for HP Design.let Production Printers
HP HD Pro 2 42-in Scanner
HP HD Pro 2 42-in Scanner
HP Design.let 3-in Core Adapter
HP Design.let 24-in Spindle
HP SD Pro 44-in Scanner
HP HD Pro 42-in Scanner
HP HD Pro 42-in Scanner
HP HD Pro 43-in Scanner
HP HD USB 3.0 to Gigabit LAN Adapter
HP DES gipn.let 44-in Spindle
supplies 5EKOOD SEK00D CN538A CQ783A G6H50B G6H51B N7P47AA Q6709A

Original HP printing supplies

HP 7468 300-ml Photo Black DesignJet Ink Cartridge HP 7468 300-ml Cyan DesignJet Ink Cartridge HP 7468 300-ml Cyan DesignJet Ink Cartridge HP 7468 300-ml Yellow DesignJet Ink Cartridge HP 7468 300-ml Yellow DesignJet Ink Cartridge HP 746 DesignJet Printhead HP 746 300-ml Chromatic Red DesignJet Ink Cartridge HP 746 300-ml Matte Black DesignJet Ink Cartridge HP 746 300-ml Matte Black DesignJet Ink Cartridge Carterioteck Cartridge RP 746 300-ml Matte Black DesignJet Ink Cartridge RP 746 300-ml Matte Black DesignJet Ink Cartridge 3WX35A 3WX38A

P2V93H

The 740 300-this make black began the Gallage His Callage His Callage

Original HP large format printing materials

Q6581A HP Universal Instant-dry Satin Photo Paper (FSC® certified) 10 (Recyclable) 11 1067 mm x 30.5 m (42 in x 100 ft) EdJS7A HP Artist Matte Canvas 1118 mm x 15.2 m (44 in x 50 ft) (6559C HP Heavyweight Coated Paper (FSC® certified) 10 (Recyclable) 11 1067 mm x 30.5 m (42 in x 100 ft)

10 CHQ25A HP Everyday Matte Polypropylene, 2 Pack (Recyclable)¹¹ 1067 mm x 30.5 m (42 in x 100 ft) CG460B HP Premium Matte Photo Paper (FSC® certified)¹⁰ (Recyclable)¹¹ 914 mm x 30.5 m (36 in x 100

For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

Service and Support

U7VB9E HP Installation Service Moderate Level
U9WQDE HP 3 year Next Business Day with Defective Media Retention Support for HP DesignJet Z6 24in
U9Y2TE HP 3 year Next Business Day with Defective Media Retention Support for HP DesignJet Z6 24in
U9ZE2E HP 3 year Next Business Day with Defective Media Retention Support for HP DesignJet Z6dr
U9ZE2E HP 3 year Next Business Day with Defective Media Retention Support for HP DesignJet Z6dr

44in
U9YXBE HP 5 year Next Business Day with Defective Media Retention Support for HP DesignJet Z6 24in
U9YZ3E HP 5 year Next Business Day with Defective Media Retention Support for HP DesignJet Z6 44in
U9ZE4 HP 5 year Next Business Day with Defective Media Retention Support for HP DesignJet Z6dr

OSZLA-LIF J year Next Districts by with Defective Media Retention Support for HP Designiet Z64 HI USYXSPE HP 1 year Post Warranty, Next Business Day with Defective Media Retention Support for HP Designiet Z6 24in USYZ4PE HP 1 year Post Warranty, Next Business Day with Defective Media Retention Support for HP Designiet Z6 44in USYZ5PE HP 1 year Post Warranty, Next Business Day with Defective Media Retention Support for HP Designiet Z6dr 44in

HP DesignJet Support Services offer installation, maintenance, and extended support services (e.g. 2,3, 4 and 5 years). For more information, please visit hp.com/go/cpc

ECO highlights

- ENERGY STAR® certified¹, EPEAT® Silver registered as environmentally preferable product² Breakthrough color consistency can help reduce unnecessary reprints Printer made from 30% post-consumer recycled plastic; free HP printing supplies recycling³ FSC®-certified papers⁴, range of recyclable HP media with a take-back program⁵

Please recycle large-format printing hardware and printing supplies. Find out how at our website: http://www.hp.com/ecosolutions

1 ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental

ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environments Protection Agency.

2 FPEAT* registered where applicable. EPEAT registration varies by country. See http://www.speat.net for registration status by country.

3 Program availability varies. Please check http://www.hp.com/recycle for details.

4 BMG trademark license code FSC**C115319, see http://www.fsc.org. HP trademark license code FSC**C107543, see http://www.fsc.org. Not all FSC**.certified products are available in all regions.

3 HP Large Format Media take-back program availability varies. Some recyclable HP papers can be recycled through commonly available recycling programs. Recycling programs may not exist in your area. See http://www.HPLEMedia.com/hp/ecosolutions for details.

Maximum rate of output for color image 100% color coverage. Printed on maximum roll size, with Original HP Vivid Photo Inks.
Mechanical printing time with Original HP Vivid Photo Inks. Measured on a 44-in printer.
Borderless printing available on photo gloss, photo satin, polypropylene, and backlit roll media.
Except self-adhesive vinyls and non-cultable medias.
5.0.1% of the specified vector length or ±0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E HP Matte Film in Best or Normal mode with HP Vivid Photo Inks.

Measured on HP Matte Film.
With HP Premium Instant-dry Satin Photo Paper with HP Vivid Photo Inks.

"Measured on HP Matter Film.

With HP Premium Instant-dry Satin Photo Paper with HP Vivid Photo Inks.

Based no 4 GB RAM.

Not included in the box for 24-in models.

Not included in the box for 24-in models.

MBG trademark license code FSC®-C115319, see http://www.fsc.org. HP trademark license code FSC®-C107543, see http://www.fsc.org. Not all FSC®-certified products are available in all regions.

Pacyclable IPP papers can be recycled through commonly available recycling programs, or according to region-specific practices, or can be returned through the HP Large Format Media take-back program Recycling programs may not exist in your area. See http://www.HPLEMedia.com/hp/ecosolutions for details.













