# **HP Officejet Pro 276dw MFP**

Efficiently manage your printing environment—and your budget with a colour Multifunction printer that delivers up to 50% lower cost per page than lasers<sup>1</sup> and powerful manageability tools. Simplify office tasks with versatile functions and easy networking.





### **Eco Highlights**

#### HP Officejet Pro 276dw MFP

- Use up to 50% less energy than with colour lasers.1
- Reduce paper use up to 50% using automatic two-sided printing.
- Use up to 70% less supplies and packaging by weight compared with colour laser.2



ENERGY STAR® qualified Join HP in more sustainable printing RGYSTAR hp.com/ecosolutions

Energy claim based on the majority of colour laser printers < US \$300, colour laser MFPs < US \$500, Sept/2012 Energy use based on HP and HP commissioned third party testing using the ENERGY STAR® programs TEC test method criteria. Actual cost and energy usage may vary. For details, see <a href="https://example.com/go/officejet.">https://example.com/go/officejet.</a> Compared with the majority of colour laser printers < US \$300, colour laser MFPs < US \$500, Sept/2012. Calculation compares weight of supplies and cartridge packaging needed for the same amount of pages based on highest-capacity cartridges ISO yield and continuous printing

#### Print for less1 and easily manage your office

- Print professional-quality colour with Original HP inks, for up to 50% lower cost per page than lasers.1
- Get to centrally deploy updates and manage tasks of this printer with HP Web Jetadmin for easy integration and manageability into your office.
- Safeguard your print environment with the HP Imaging and Printing Security Center with no expertise necessary.
- Help protect your investment and extend capabilities as your needs grow with a portfolio of solutions.10

#### Count on time-saving features to ease office tasks

- Ease office workflows. Easily print, access helpful business apps, and more, right from the colour display.4
- Designed for volumes up to 1,500 pages a month so you can depend on this printer for reliable workgroup printing.
- With the automatic document feeder and 250-sheet paper tray, you can now save time on reloading paper and handle large print jobs.
- Print up to 2,300 pages from a single high-capacity Original HP cartridge.<sup>5</sup>

### Connect and print—at the office or on the go<sup>3</sup>

- Add this printer to your Ethernet or wireless network to easily share with your teammates.<sup>2</sup>
- Print wirelessly, and share access with PCs, tablets, and mobile devices, <sup>2</sup> even with no network or router with the HP Wireless direct built in your printer.6
- Print from your smartphone or tablet from virtually anywhere with HP ePrint.3
- Print PDF files and images directly from memory devices, using the easy-access USB port with no computer required.

#### Conserve resources without sacrificing performance

- Set your printer with Schedule On and Schedule Off function<sup>8</sup> for cost with up to 50% less energy used than lasers.7
- Reduce your impact, easily recycle your Original HP ink cartridges for free through HP Planet Partners.9

# **Technical specifications**

AlO function	Print, Fax, Copy, Scan, Digital send, Easy access USB drive, Web	
Print technology	HP Thermal Inkjet	
Print resolution	<b>Black (best):</b> Up to $1200 \times 1200$ optimized dpi on plain paper from $600 \times 600$ input dpi; <b>Colour (best):</b> Up to $1200 \times 1200$ optimized dpi from $600 \times 600$ input dpi	
Printer languages	HP PCL5c, HP PCLXL (PCL6), native PDF, HP Postscript Level 3	
Borderless printing	Yes, Edge to Edge up to $8.5 \times 11$ in (US letter), $210 \times 297$ mm (A4). Brochure media type only	
Printer smart software features	HP ePrint, HP ePrint Mobile Apps, Google Cloud Print, HP EasyColour, Cover Pages; Orientation: Portrait/Landscape/Rotate by 180 degrees; Print on Both Sides: Flip over/Flip up; Pages per Sheet: 1, 2, 4, 6, 9, 16; Booklet: Left Binding/Right Binding; Print in Grayscale: Black Ink Only/High Quality; Resizing options: Actual size, Scale to fit, % of actual size (25%-400%); A4/Letter Edge to Edge Printing; Output Quality: Draft/Normal/Best; Print All text as Black	
Print speed <sup>11</sup>	<b>Black:</b> Up to 25 ppm (draft, A4); Up to 20 ppm (ISO, laser-comparable); <b>Colour:</b> Up to 25 ppm (draft, A4); Up to 15 ppm (ISO, laser-comparable)	
Transmission speed	Up to 33.6 kbps; 4 sec per page	
Fax resolution	Black (standard): 203 x 98 dpi; Colour (standard): 300 x 300 dpi	
Fax memory (A4)12	Up to 100 pages	
Speed dials	Up to 99 numbers	
Fax features	Faxing: Yes, colour; Auto fax reduction supported: Yes; Auto-Redialing: Yes; Fax delayed sending: Yes; Distinctive ring detection supported: Yes; Fax forwarding supported: Yes; Fax phone TAM interface supported: No; Fax polling supported: Yes (poll to receive only); Junk barrier supported: Yes, requires Caller ID; PC interface supported: Yes, HP Software support provided; Telephone handset supported: No; Fax smart software features (Digital fax): Fax to Computer is available with Windows and Macintosh (Please use: visit hp.com/support to download the latest software.)	
Scan type	Flatbed, ADF	
Scan technology	Contact Image Sensor (CIS)	
Scan resolution <sup>13</sup>	<b>Hardware:</b> Up to 4800 x 4800 dpi; <b>Optical:</b> Up to 4800 dpi	
Max scanning size	ADF, Flatbed: 216 x 356 mm	
Scan input modes	Front panel applications: Copy, Scan to E-mail, Scan to Network Folder, Scan to USB, Scan to Computer with SW, Open Extensibility Platform (OXP-LE) applications; Client applications: EWS and HP Scan App	
Twain version	Version 1.9	
Grayscale levels	256	
Image scaling or enlargement range	25 to 400% in 1% increments	
Copy speed <sup>14</sup>	<b>Black:</b> Up to 25 cpm (draft, letter); Up to 13 cpm (ISO, laser-comparable)	
	Colour: Up to 25 cpm (draft, letter); Up to 12 cpm (ISO, laser-comparable)	
Copy resolution	Colour: Up to 25 cpm (draft, letter); Up to 12 cpm (ISO, laser-comparable)  Black (text and Graphics): Up to 1200 × 600 dpi; Colour (text and graphics): Up to 1200 × 600 dpi	
Copy resolution Max number of copies		
	<b>Black (text and Graphics):</b> Up to 1200 × 600 dpi; <b>Colour (text and graphics):</b> Up to 1200 × 600 dpi	
Max number of copies	<b>Black (text and Graphics):</b> Up to 1200 x 600 dpi; <b>Colour (text and graphics):</b> Up to 1200 x 600 dpi Up to 99 copies	
Max number of copies Reduce/enlarge	Black (text and Graphics): Up to 1200 x 600 dpi; Colour (text and graphics): Up to 1200 x 600 dpi Up to 99 copies 25 to 400% HP Copy Fix; ID Copy; Resize; Quality; Lighter/Darker; Two-sided copying; Tray Selection; Collate; Margin Shift; Crop; Copy	
Max number of copies Reduce/enlarge Copier settings	Black (text and Graphics): Up to 1200 x 600 dpi; Colour (text and graphics): Up to 1200 x 600 dpi  Up to 99 copies  25 to 400%  HP Copy Fix; ID Copy; Resize; Quality; Lighter/Darker; Two-sided copying; Tray Selection; Collate; Margin Shift; Crop; Copy Preview; Enhancements; Set as New Defaults	
Max number of copies Reduce/enlarge Copier settings Display	Black (text and Graphics): Up to 1200 x 600 dpi; Colour (text and graphics): Up to 1200 x 600 dpi  Up to 99 copies  25 to 400%  HP Copy Fix; ID Copy; Resize; Quality; Lighter/Darker; Two-sided copying; Tray Selection; Collate; Margin Shift; Crop; Copy Preview; Enhancements; Set as New Defaults  4.3" CGD (colour graphics display), touchscreen  4.3" CGD Touch Screen with Gestural User Interface. 6 Magic Frame (MF) Touch Buttons: Home button—Is contextually lit to take user to the product home screen; Back button—Is contextually lit to take user back to the previous screen; Left and Right arrows—Is contextually lit to allow user for left and right scrolling of menus; Cancel button—Is contextually lit when jobs are in progress and lets user initiate job cancelling; Help button—Is contextually lit whenever help is available for a	
Max number of copies Reduce/enlarge Copier settings Display Control panel	Black (text and Graphics): Up to 1200 x 600 dpi; Colour (text and graphics): Up to 1200 x 600 dpi  Up to 99 copies  25 to 400%  HP Copy Fix; ID Copy; Resize; Quality; Lighter/Darker; Two-sided copying; Tray Selection; Collate; Margin Shift; Crop; Copy Preview; Enhancements; Set as New Defaults  4.3" CGD (colour graphics display), touchscreen  4.3" CGD Touch Screen with Gestural User Interface. 6 Magic Frame (MF) Touch Buttons: Home button—Is contextually lit to take user to the product home screen; Back button—Is contextually lit to take user back to the previous screen; Left and Right arrows—Is contextually lit to allow user for left and right scrolling of menus; Cancel button—Is contextually lit when jobs are in progress and lets user initiate job cancelling; Help button—Is contextually lit whenever help is available for a feature/menu item; Wireless LED - Indicator for the wireless states	
Max number of copies Reduce/enlarge Copier settings Display Control panel  Duplex print options	Black (text and Graphics): Up to 1200 x 600 dpi; Colour (text and graphics): Up to 1200 x 600 dpi  Up to 99 copies  25 to 400%  HP Copy Fix; ID Copy; Resize; Quality; Lighter/Darker; Two-sided copying; Tray Selection; Collate; Margin Shift; Crop; Copy Preview; Enhancements; Set as New Defaults  4.3" CGD (colour graphics display), touchscreen  4.3" CGD Touch Screen with Gestural User Interface. 6 Magic Frame (MF) Touch Buttons: Home button—Is contextually lit to take user to the product home screen; Back button—Is contextually lit to take user back to the previous screen; Left and Right arrows—Is contextually lit to allow user for left and right scrolling of menus; Cancel button—Is contextually lit when jobs are in progress and lets user initiate job cancelling; Help button—Is contextually lit whenever help is available for a feature/menu item; Wireless LED - Indicator for the wireless states  Automatic (standard)  Up to 30,000 pages  Up to 250 to 1,500 pages	
Max number of copies Reduce/enlarge Copier settings  Display Control panel  Duplex print options Duty cycle (monthly, A4) <sup>15</sup> Recommended monthly volume <sup>16</sup> Media supported sizes	Black (text and Graphics): Up to 1200 x 600 dpi; Colour (text and graphics): Up to 1200 x 600 dpi  Up to 99 copies  25 to 400%  HP Copy Fix; ID Copy; Resize; Quality; Lighter/Darker; Two-sided copying; Tray Selection; Collate; Margin Shift; Crop; Copy Preview; Enhancements; Set as New Defaults  4.3" CGD Touch Screen with Gestural User Interface. 6 Magic Frame (MF) Touch Buttons: Home button—Is contextually lit to take user to the product home screen; Back button—Is contextually lit to take user back to the previous screen; Left and Right arrows—Is contextually lit to allow user for left and right scrolling of menus; Cancel button—Is contextually lit when jobs are in progress and lets user initiate job cancelling; Help button—Is contextually lit whenever help is available for a feature/menu item; Wireless LED - Indicator for the wireless states  Automatic (standard)  Up to 30,000 pages  Up to 250 to 1,500 pages  Tray 1: U.S. Legal (216 x 356 mm); 8.5 x 13 inches (216 x 330 mm); U.S. Letter (216 x 279 mm); A4 (210 x 297 mm); U.S. Executive (184 x 267 mm); B5 (182 x 257 mm); A5 (148 x 210 mm); U.S. Statement (140 x 216 mm); C5 Envelope (162 x 229 mm); Japanese Envelope Chou #3 (120 x 235 mm); C6 Envelope (114 x 62 mm); S.5 Bar Envelope (A2 Envelope); DL Envelope (110 x 220 mm); U.S. #10 Envelope (105 x 241 mm); Monarch Envelope (98 x 191 mm); Japanese Envelope Chou #4 (90 x 205 mm); Ofuku Hagaki (148 x 200 mm); Index card (172 x 203 mm); A6 card (105 x 148.5 mm); Index card (102 x 152 mm); Hagaki (100 x 148 mm); Index card (76.2 x 127 mm); Photo media with tear-off tab (102 x 152 mm); Photo media with tear-off tab (102 x 152 mm); Photo media with tear-off tab (102 x 152 mm); Photo media with tear-off tab (102 x 152 mm); Photo media with tear-off tab (102 x 152 mm); Photo media with tear-off tab (102 x 152 mm); Photo media with tear-off tab (102 x 152 mm); Photo media with tear-off tab (102 x 152 mm); Photo media with tear-off tab (102 x 152 mm); Photo media (102 x 152 mm); Photo media (102 x 152 mm); Photo media (	
Max number of copies Reduce/enlarge Copier settings  Display Control panel  Duplex print options Duty cycle (monthly, A4) <sup>15</sup> Recommended monthly volume <sup>16</sup>	Black (text and Graphics): Up to 1200 x 600 dpi; Colour (text and graphics): Up to 1200 x 600 dpi  Up to 99 copies  25 to 400%  HP Copy Fix; ID Copy; Resize; Quality; Lighter/Darker; Two-sided copying; Tray Selection; Collate; Margin Shift; Crop; Copy Preview; Enhancements; Set as New Defaults  4.3" CGD Touch Screen with Gestural User Interface. 6 Magic Frame (MF) Touch Buttons: Home button—Is contextually lit to take user to the product home screen; Back button—Is contextually lit to take user back to the previous screen; Left and Right arrows—Is contextually lit to allow user for left and right scrolling of menus; Cancel button—Is contextually lit when jobs are in progress and lets user initiate job cancelling; Help button—Is contextually lit whenever help is available for a feature/menu item; Wireless LED - Indicator for the wireless states  Automatic (standard)  Up to 30,000 pages  Up to 250 to 1,500 pages  Tray 1: U.S. Legal (216 x 356 mm); 8.5 x 13 inches (216 x 330 mm); U.S. Letter (216 x 279 mm); A4 (210 x 297 mm); U.S. Executive (184 x 267 mm); B5 (182 x 257 mm); A5 (148 x 210 mm); U.S. Statement (140 x 216 mm); C.S Envelope (162 x 229 mm); Japanese Envelope Chou #3 (120 x 235 mm); G6 Envelope (114 x 62 mm); 5.5 Bar Envelope (A2 Envelope); DL Envelope (110 x 220 mm); U.S. #10 Envelope (105 x 241 mm); Monarch Envelope (98 x 191 mm); Japanese Envelope Chou #4 (90 x 205 mm); Gfuku Hagaki (100 x 148 x 200 mm); Index card (127 x 203 mm); A6 card (105 x 148.5 mm); Index card (102 x 152 mm); Hagaki (100 x 148 mm); Index card (76.2 x 127 mm); Photo media with tear-off tab (102 x 203 mm); Photo media with tear-off tab (102 x 152 mm); Babels (A8 A4); Cabels (A8 A4); Custom-sized media between 3 to 8.5 inches wide and 5 to 14 inches long (76.2 to 216 mm wide and 127 to 356 mm long)  60 to 105 g/m² (plain); 220 to 280 g/m² (photo); 75 to 90 g/m² (envelope); 163 to 200 g/m² (card)	
Max number of copies Reduce/enlarge Copier settings  Display Control panel  Duplex print options Duty cycle (monthly, A4) <sup>15</sup> Recommended monthly volume <sup>16</sup> Media supported sizes	Black (text and Graphics): Up to 1200 x 600 dpi; Colour (text and graphics): Up to 1200 x 600 dpi  Up to 99 copies  25 to 400%  HP Copy Fix; ID Copy; Resize; Quality; Lighter/Darker; Two-sided copying; Tray Selection; Collate; Margin Shift; Crop; Copy Preview; Enhancements; Set as New Defaults  4.3" CGD (colour graphics display), touchscreen  4.3" CGD Touch Screen with Gestural User Interface. 6 Magic Frame (MF) Touch Buttons: Home button—Is contextually lit to take user to the product home screen; Back button—Is contextually lit to take user back to the previous screen; Left and Right arrows—Is contextually lit to allow user for left and right scrolling of menus; Cancel button—Is contextually lit when jobs are in progress and lets user initiate job cancelling; Help button—Is contextually lit whenever help is available for a feature/menu item; Wireless LED - Indicator for the wireless states  Automatic (standard)  Up to 30,000 pages  Up to 250 to 1,500 pages  Tray 1: U.S. Legal (216 x 356 mm); 8.5 x 13 inches (216 x 330 mm); U.S. Letter (216 x 279 mm); A4 (210 x 297 mm); U.S. Executive (184 x 267 mm); B5 (182 x 257 mm); A5 (148 x 210 mm); U.S. Statement (140 x 216 mm); C5 Envelope (162 x 229 mm); Japanese Envelope (162 x 229 mm); Japanese Envelope (162 x 229 mm); Japanese Envelope (105 x 241 mm); Monarch Envelope (98 x 191 mm); Japanese Envelope (hou #4 (90 x 205 mm); Ofluku Hagaki (148 x 200 mm); index card (127 x 203 mm); A6 card (105 x 148.5 mm); Index card (102 x 152 mm); Hagaki (100 x 148 mm); Index card (76.2 x 127 mm); Photo Media (A) (216 x 279 mm); Photo Media (A) (210 x 297 mm); Photo media with tear-off tab (102 x 152 mm); Photo media (102 x 152 mm); Hagaki Photo Cards (100 x 148 mm); Photo media (15.2ize); Photo media (76.2 x 127 mm); Photo Media (A0 (210 x 152 mm); Hagaki Photo Cards (100 x 148 mm); Photo media (15.2ize); Photo media (76.2 x 127 mm); Photo Media (A0 (210 x 152 mm); Hagaki Photo Cards (100 x 148 mm); Photo media (15.2ize); Photo media (76.2 x 127 mm); Photo Media (A0 (210 x 152 mm);	
Max number of copies Reduce/enlarge Copier settings  Display Control panel  Duplex print options Duty cycle (monthly, A4)¹⁵ Recommended monthly volume¹⁶ Media supported sizes	Black (text and Graphics): Up to 1200 x 600 dpi; Colour (text and graphics): Up to 1200 x 600 dpi  Up to 99 copies  25 to 400%  HP Copy Fix; ID Copy; Resize; Quality; Lighter/Darker; Two-sided copying; Tray Selection; Collate; Margin Shift; Crop; Copy Preview; Enhancements; Set as New Defaults  4.3" CGD (colour graphics display), touchscreen  4.3" CGD Touch Screen with Gestural User Interface. 6 Magic Frame (MF) Touch Buttons: Home button—Is contextually lit to take user to the product home screen; Back button—Is contextually lit to take user back to the previous screen; Left and Right arrows—Is contextually lit to allow user for left and right scrolling of menus; Cancel button—Is contextually lit when jobs are in progress and lets user initiate job cancelling; Help button—Is contextually lit whenever help is available for a feature/menu item; Wireless LED – Indicator for the wireless states  Automatic (standard)  Up to 30,000 pages  Up to 250 to 1,500 pages  Tray 1: U.S. Legal (216 x 356 mm); 8.5 x 13 inches (216 x 330 mm); U.S. Letter (216 x 279 mm); A4 (210 x 297 mm); U.S. Executive (184 x 267 mm); B5 (182 x 257 mm); A5 (148 x 210 mm); U.S. Statement (140 x 216 mm); C5 Envelope (162 x 229 mm); Japanese Envelope Chou #3 (120 x 235 mm); C6 Envelope (114 x 62 mm); 5.5 Bar Envelope (A2 Envelope); DL Envelope (110 x 220 mm); U.S. #10 Envelope (105 x 241 mm); Monarch Envelope (98 x 191 mm); Japanese Envelope Chou #4 (90 x 205 mm); Officku Hagaki (148 x 200 mm); Index card (1727 x 203 mm); A6 card (105 x 148.5 mm); Index card (102 x 152 mm); Hagaki (100 x 148 mm); Index card (76.2 x 127 mm); Photo Media (A) (216 x 279 mm); Photo Media (A4) (210 x 297 mm); Photo media with tear-off tab (102 x 152 mm); Photo media	
Max number of copies Reduce/enlarge Copier settings  Display Control panel  Duplex print options Duty cycle (monthly, A4) <sup>15</sup> Recommended monthly volume <sup>16</sup> Media supported sizes  Media recommended weights Media supported weights	Black (text and Graphics): Up to 1200 x 600 dpi; Colour (text and graphics): Up to 1200 x 600 dpi  Up to 99 copies  25 to 400%  HP Copy Fix; ID Copy; Resize; Quality; Lighter/Darker; Two-sided copying; Tray Selection; Collate; Margin Shift; Crop; Copy Preview; Enhancements; Set as New Defaults  4.3" CGD (colour graphics display), touchscreen  4.3" CGD Touch Screen with Gestural User Interface. 6 Magic Frame (MF) Touch Buttons: Home button—Is contextually lit to take user to the product home screen; Back button—Is contextually lit to take user back to the previous screen; Left and Right arrows—Is contextually lit to allow user for left and right scrolling of menus; Cancel button—Is contextually lit when jobs are in progress and lets user initiate job cancelling; Help button—Is contextually lit whenever help is available for a feature/menu item; Wireless LED - Indicator for the wireless states  Automatic (standard)  Up to 30,000 pages  Tray 1: U.S. Legal (216 x 356 mm); 8.5 x 13 inches (216 x 330 mm); U.S. Letter (216 x 279 mm); A4 (210 x 297 mm); U.S. Executive (184 x 267 mm); B5 (182 x 257 mm); A5 (148 x 210 mm); U.S. Statement (140 x 216 mm); C5 Envelope (162 x 229 mm); Japanese Envelope Chou #4 (190 x 205 mm); U.S. HI D Envelope (110 x 241 mm); Monarch Envelope (8x 191 mm); Japanese Envelope) Chou #4 (90 x 205 mm); Ofuku Hagaki (148 x 200 mm); index card (175. x 203 mm); A6 card (105 x 148.5 mm); Index card (102 x 152 mm); Hagaki (100 x 148 mm); Index card (76.2 x 127 mm); Photo Media (A) (216 x 279 mm); Photo media (A4) (210 x 297 mm); Hagaki (100 x 148 mm); Index card (76.2 x 127 mm); Photo media (102 x 152 mm); Hoto Media (A) (210 x 279 mm); Photo media (102 x 152 mm); Hoto Tardia with tear-off tab (102 x 203 mm); Photo media (152 x 152 mm); Photo media (102	
Max number of copies Reduce/enlarge Copier settings  Display Control panel  Duplex print options Duty cycle (monthly, A4) <sup>15</sup> Recommended monthly volume <sup>16</sup> Media supported sizes  Media recommended weights Media supported weights Media types	Black (text and Graphics): Up to 1200 x 600 dpi; Colour (text and graphics): Up to 1200 x 600 dpi  Up to 99 copies  25 to 400%  HP Copy Fix; ID Copy; Resize; Quality; Lighter/Darker; Two-sided copying; Tray Selection; Collate; Margin Shift; Crop; Copy Preview; Enhancements; Set as New Defaults  4.3" CGD Touch Screen with Gestural User Interface. 6 Magic Frame (MF) Touch Buttons: Home button—Is contextually lit to take user to the product home screen; Back button—Is contextually lit to take user back to the previous screen; Left and Right arrows—Is contextually lit to allow user for left and right scrolling of menus; Cancel button—Is contextually lit when jobs are in progress and lets user initiate job cancellling; Help button—Is contextually lit when eight arrows—Is contextually lit when jobs are in progress and lets user initiate job cancelling; Help button—Is contextually lit when ever help is available for a feature/menu item; Wireless LED - Indicator for the wireless states  Automatic (standard)  Up to 30,000 pages  Tray 1: U.S. Legal (216 x 356 mm); 8.5 x 13 inches (216 x 330 mm); U.S. Letter (216 x 279 mm); A4 (210 x 297 mm); U.S. Executive (184 x 267 mm); B5 (182 x 257 mm); A5 (148 x 210 mm); U.S. Statement (140 x 216 mm); C5 Envelope (162 x 229 mm); Japanesse Envelope Chou #3 (120 x 235 mm); C6 Envelope (114 x 62 mm); S.5 Bar Envelope (A2 Envelope); DL Envelope (110 x 220 mm); U.S. #10 Envelope (105 x 241 mm); Monarch Envelope (98 x 191 mm); Japanesse Envelope Chou #4 (90 x 205 mm); Ofuku Hagaki (148 x 200 mm); index card (127 x 203 mm); A6 card (105 x 148.5 mm); Index card (102 x 152 mm); Hagaki (100 x 148 mm); Index card (102 x 152 mm); Photo media with tear-off tab (102 x 203 mm); Photo media (16.2 x 127 mm); Photo media with tear-off tab (102 x 203 mm); Photo media with tear-off tab (102 x 203 mm); Photo media with tear-off tab (102 x 203 mm); Photo media (16.2 x 127 mm); Photo media with tear-off tab (102 x 152 mm); Photo media between 3 to 8.5 inches wide and 5 to 14 inches long (76.2 x 127 mm); P	

# **Technical specifications**

Operating system compatibility	Windows 8 (32-bit & 64-bit), Windows 7 (32-bit & 64-bit), Windows Vista (32-bit & 64-bit) (Including Starter Edition), Windows XP SP3 or greater (32-bit only), Mac OS X v10.6, OS X Lion, OS X Mountain Lion, Linux (For more information, see hplipopensource.com/hplip-web/index.html)	
Minimum system requirements	PC: Windows 8, Windows 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, Internet Explorer, CD-ROM/DVD or Internet, USB. Windows Vista: 800 MHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, Internet Explorer, CD-ROM/DVD or Internet, USB. Windows XP SP3 (32-bit only): Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 750 MB available hard disk space, Internet Explorer 6, CD-ROM/DVD or Internet, USB. Mac OS X v10.6, OS X Lion, OS X Mountain Lion: Intel® Core Processor, 1 GB available hard disk space, CD-ROM/DVD or Internet, USB. Linux (For more information, see hplipopensource.com/hplip-web/index.html);  Mac: Mac OS X v10.6, OS X Lion, OS X Mountain Lion: Intel Core Processor, 1 GB available hard disk space, CD-ROM/DVD or Internet, USB	
Connectivity	1 Hi-Speed USB 2.0 Device; 1 Hi-Speed USB 2.0 Host; 1 SD/MMC card slot; 1 Ethernet 10/100 Base-TX network; 1 RJ-11 modem port; 802.11b/g/n Station; 802.11b/g Access Point	
Network capabilities	Standard (built-in Ethernet and WiFi 802.11b/g/n)	
Mobile printing capability <sup>17</sup>	HP ePrint, HP ePrint Mobile Apps, Google Cloud Print, Business Applications, HP ePrint Wireless Direct, Apple AirPrint™	
Software included	HP Printer Software, HP Update, HP Officejet Pro 276dw MFP Help, Bing Bar for HP (includes HP Smart Print), I.R.I.S. OCR, Product Improvement Study for HP Officejet Pro 276dw MFP	
Dimension (W x D x H)	494 x 460 x 315 mm	
Weight	12.7 kg	
Operating environment	Operating temperature range: 5 to 40° C; Recommended operating temperature range: 15 to 30° C; Storage temperature range: -40 to 60° C; Operating humidity range: 15 to 80% RH; Storage humidity range: 0 to 90% RH (non-condensing) at a temperature of 60° C; Storage altitude: 4600 m; Operating altitude: 3100 m	
Acoustics	Acoustic power emissions: 6.4 B(A); Acoustic power emissions: 62 dB(A)	
Power specifications <sup>18</sup>	Power supply type: Internal (Built-in) Universal Power Supply; Power supply required: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Power consumption: 35.09 watts (maximum), 0.11 watts (Manual-Off), 7.11 watts (Standby), 1.63 watts (Sleep)	
Warranty	One-year limited hardware warranty; 24-hour; 7 days a week Web support; business hour phone support within warranty period	
Accessories	HP Officejet Pro 250-sheet Paper Tray CN548A	
Electromagnetic emission standard	WW PSU: US (FCC Title 47 CFR Part 15 Class B), European Union (CE), Canada (ICES), VCCI (Japan), KC (Korea), BSMI (Taiwan); HV PSU: CCC (China)	
Security management	SSL/TLS (HTTPS), IPP over TLS; 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP); Pre-Shared Key Authentication for Wireless (PSK); Device firewall configuration; Control panel lock; Password protect EWS; Unused protocol and service disablement; Syslog; Certificate support; Signed firmware; Administrator settings; scan-to and fax-to folder authentication	
What's in the box	HP Officejet Pro 276dw MFP; Automatic Two-sided Printing accessory; HP 950 Setup Black Ink Cartridge (~1,000 pages); HP 951 Setup Cyan Ink Cartridge; HP 951 Setup Magenta Ink Cartridge; HP 951 Setup Yellow Ink Cartridge: Composite yield (~700 pages); Power cord; Phone cord; Setup poster; Getting Started Guide; CD-ROMs (for software, Windows and Mac printer drivers, and User's Guide). [Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. Some ink from included cartridge is used to start up the printer. For details see hp.com/go/learnaboutsupplies]	

# **Ordering Information**

Number	Description	
CR770A	HP Officejet Pro 276dw MFP	

# Supplies<sup>19</sup>

Number	Description
CN049AA	HP 950 Black Officejet Ink Cartridge
CN045AA	HP 950XL Black Officejet Ink Cartridge
CN046AA	HP 951XL Cyan Officejet Ink Cartridge
CN047AA	HP 951XL Magenta Officejet Ink Cartridge
CN048AA	HP 951XL Yellow Officejet Ink Cartridge

For information on reference page output, please log on the <a href="https://example.com/go/pageyield">https://example.com/go/pageyield</a>

# **HP Care Pack Services**

### Problems solved. That's HP support.

Relax. Make sure your printing investments are protected with HP Care Pack Services. Pick your package of services to keep your printer running and your business moving. Now your office can spend less time troubleshooting, and more time getting things done.<sup>20</sup>

Number	Description
U6Z90E	HP 3-year Return Officejet Pro 276dw MFP Service
U6Z91E	HP 3-year Standard Exchange Officejet Pro 276dw MFP Service
U6Z88E	HP 3-year Next Business Day Exchange Officejet Pro 276dw MFP Service
U6Z89E	HP 3-year Next Business Day Onsite Exchange Officejet Pro 276dw MFP Service
U6Z93PE	HP 1-year Post Warranty Return Officejet Pro 276dw MFP Service
U6Z94PE	HP 1-year Post Warranty Standard Exchange Officejet Pro 276dw MFP Service
U6Z95PE	HP 1-year Post Warranty Next Business Day Exchange Officejet Pro 276dw MFP Service
U6Z92PE	HP 1-year Post Warranty Next Business Day Onsite Exchange Officejet Pro 276dw MFP SVC
H3110E	HP Network Install Inkjet/personal LaserJet SVC
HC126PE	HP 1-year Post Warranty Phone Assist personal LaserJet/Scanjet SVC

## Supported paper

Asia Pacific: hp.com/apac/paper

### **Hewlett-Packard offices**

Australia China Hong Kong	(613) 8833 5000 (010) 6564 3888 (852) 3559 7777	hp.com.au hp.com.cn hp.com.hk
India	(80) 2612 9000	hp.com/in
Indonesia	(62-21) 5799 1088	hp.com/id
Korea	(02) 2199 0114	hp.co.kr
Malaysia	(603) 2332 3333	hp.com.my
New Zealand	(09) 918 9555	hp.co.nz
Philippines	(632) 888 5900	hp.com/ph
Singapore	(65) 6275 3888	hp.com.sg
Taiwan	(02) 8722 9000	hp.com.tw
Thailand	(662) 353 9500	hp.com/th
Vietnam	(848) 3823 4151	hp.com/vn

For the following countries, please fax your queries to: (65) 6275 6707 Bangladesh • Bhutan • Brunei • Cambodia • Maldives • Nepal • Pakistan • Srilanka For more information, please visit us at hp.com/apac/homeandoffice

- 1 Cost-per-page (CPP) claim based on the majority of colour laser printers < US \$300, colour laser MFPs < US \$500, Sept/2012. For details, see hp.com/go/officejet.
- <sup>2</sup> Wireless performance is dependent upon physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz routers only.
- <sup>3</sup> Requires an Internet connection to HP web-enabled printer and HP ePrint account registration. For a list of eligible printers, supported documents, and image types, and other HP ePrint details, see <a href="https://person.org/hpconnected.com">hpconnected.com</a>. Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary.
- 4 Requires a wireless access point and an Internet connection to the printer. Services require registration. App availability varies by country, language, and agreements, and requires a firmware upgrade. For details, hpconnected.com.
- <sup>5</sup> Page volume based on HP 950XL Officejet Black ink Cartridge and HP 951XL Officejet Cyan, Magenta, and Yellow Ink Cartridges. For more information, see <a href="https://hp-capacity.cartridges.notincluded">hp-com/go/learnaboutsupplies</a>. High-capacity cartridges not included; please purchase separately.
- <sup>6</sup> An app or driver may be required to use HP wireless direct, for more info go to <u>hpconnected.com</u>. Wireless performance is dependent upon physical environment and distance from access point.
- Finergy claim based on the majority of colour laser printers < US \$300, Sept/2012 Energy use based on HP and third party testing using the ENERGY STAR® program's TEC test method criteria. For details, see hp.com/go/officejet.
- Energy savings calculation assumes the device is scheduled to be off for 12 hours per weekday and 48 hours per weekend. Reduced energy use is compared with a typical daily usage model, which assumes devices remain in "off" mode overnight and on the weekend.
- 9 Program availability varies. Original HP cartridge return and recycling is currently available in 47 countries, territories, and regions in Asia, Europe, and North and South America through the HP Planet Partners program. For more information, visit hp.com/recycle.
- 1º Additional workflow solutions available through HP's software and third-party partner program. For solution details, go to hp.com/go/ideabook.
- <sup>11</sup> Either after first page or after first set of ISO test pages. For details see hp.com/go/printerclaims.
- <sup>12</sup>Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
- <sup>13</sup> The maximum dpi at which you can scan is limited by available computer memory, disk space, and other system factors.
- $^{\rm 14}\textsc{Speed}$  specifications have been updated to reflect current industry testing methods.
- <sup>15</sup>Duty cycle is defined as the maximum number of pages per month of imaged output.
- <sup>16</sup>HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- <sup>17</sup>HP ePrint requires an Internet connection to the printer and an Account Registration with HP Web Services. Print times may vary. For a list of supported documents and image types for HP ePrint, see <u>hp.com/go/eprintcenter</u>. AirPrint™ and the AirPrint Logo are trademarks of Apple® Inc., registered in the U.S. and other countries. AirPrint requires the printer be connected to the <u>same</u> network as your Apple device. Wireless performance is dependent upon physical environment and distance from the access point. For additional solutions, see hp.com/go/mobile-printing-solutions.
- 18 Power measurements are based on ENERGY STAR® OM test procedure with 230 VAC, 50 Hz input.
- <sup>19</sup> Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. Some ink from included cartridge is used to start up the printer. For details see hp.com/qo/learnaboutsupplies.
- <sup>20</sup>Service levels and response times for HP Care Packs may vary depending on your geographic location. Restrictions and limitations apply. Service starts at date of hardware purchase. For details, visit hp.com/go/lookuptool.

# For more information visit our website at hp.com

