



# RALLY ACCESSORIES

Logitech Rally family includes a full suite of accessories to accommodate a wide range of room sizes and configurations. Multiple mounting, mic, and speaker options provide the convenience of conferencing solutions at scale.

## ACCESSORIES TO SUIT EVERY MEETING SPACE

Logitech Rally Bar Mini, Rally Bar, and Rally offer premier video collaboration solutions for all room shapes and sizes. Simple, versatile, and meticulously designed for scale, the Rally all-in-one video bars and the modular Rally system offer clutter-free cable management, multiple mounting, mic and speaker options, and the flexibility to deploy in USB or appliance mode. Add Rally accessories to create the best meeting space for your needs.

# ACCESSORIES FOR RALLY FAMILY



## RALLY MIC POD

Expand audio coverage with modular, beamforming microphones with RightSound™ technology for clear, natural, conversational sound.

Auto levels voices, suppresses background noise, and dampens vibration for clear audio

Convenient mute control and indicator light

Available in graphite or white

### General Specifications

Frequency response:  
90Hz – 16kHz

Sensitivity: >-27dB +/-1dB @ 1Pa

Microphone data rate output:  
48 kHz

Pickup range: 15 ft / 4.5m

Beamforming elements:  
Four omnidirectional  
microphones forming eight  
acoustic beams

Audio processing:  
AEC (Acoustic Echo  
Cancellation), VAD (Voice  
Activity Detector)

Noise suppression: AI filter

Mute Control:  
Touch-sensitive mute control  
with color-coded LED indicator

### Interfaces & Cables

Output: 9.6 ft (2.95m) 12-pin  
captive cable

Input: 12-pin interface to daisy-  
chain Mic Pods or connect to  
Rally Mic Pod Hub

### Certifications

Rally Mic Pod, White:  
Plenum Rated, Eca/  
IEC 60332-1-2 Compliant

Rally Mic Pod, Graphite: N/A

### System Requirements

Rally: Up to 7 Mic Pods  
(one Rally Mic Pod included  
with system)

Rally Plus: Up to 7 Mic Pods  
(two Rally Mic Pods included  
with system)

Rally Bar: Up to 3 Mic Pods  
(complements the built-in  
microphone array)

Rally Bar Mini: Up to 2 Mic  
Pods (complements the built-in  
microphone array)

Note: Rally Mic Pods are not compatible  
with the standalone USB Rally Camera.

### Product Dimensions

Height: 0.83 in (21 mm)

Width: 4.01 in (102 mm)

Depth: 4.01 in (102 mm)

### Package Contents

Rally Mic Pod

Documentation

### Part Numbers

Graphite: 989-000430

White: 952-000038



## RALLY MIC POD MOUNT

Rally Mic Pod Mount secures connections and hides cables to give meeting rooms a professional look.

Hide cables and anchor mics on the table or ceiling

Adjusts to fit most tables

Available in graphite or white

### General Specifications

Compatible Devices: Rally Mic Pod

Table Thickness: 0.75 - 2.0in (20 - 50mm)

Grommet Hole Diameter: 1.0 - 2.5in (25 - 65mm)

### Product Dimensions

Height: 3.54 in / 90mm

Width: 5.75 in / 146mm

Depth: 5.75 in / 146mm

### Package Contents

Mic Pod Mount Cup

Threaded Rod

Nut

Cable Spool

Mounting Plate

Screws

Documentation

### Part Numbers

Graphite: 952-000002

White: 952-000020



# ACCESSORIES FOR RALLY FAMILY

---



## RALLY MIC POD HUB

Connect up to three Rally Mic Pods for hub-and-spoke layouts for flexible placement and efficient cable routing.

Customize for most any meeting table configuration

Reduces cross-table cabling

Connects both mic pods and additional hubs

### General Specifications

Three 12-pin connections for any combination of Rally Mic Pods or additional Rally Mic Pod Hubs

Under-table mounting hardware

Captive 9.6ft (2.95m) 12-pin cable

### System Requirements

Rally or Rally Plus

Rally Bar or Rally Bar Mini configured with external Rally Mic Pods

### Product Dimensions

Height: 0.63in / 16mm

Width: 4.01in / 102mm

Depth: 4.01in / 102mm

### Package Contents

Mic Pod Hub

Mounting Hardware

Documentation

### Part Numbers

939-001647



## RALLY MIC POD EXTENSION CABLE

Add 10 meters of additional reach to the cabling of Rally Mic Pod or Rally Mic Pod Hub for larger spaces.

Plenum-rated and Eca certified for commercial installations

Fits within standard 19mm conduit

Connect up to two cables for a total extension of 20 meters

### General Specifications

Extension cable with built-in cable retention clips

Fits standard 19mm conduit

### Certifications

Plenum Rated, Eca/IEC

60332-1-2 Compliant

### System Requirements

Rally Bar (supports up to 2 cables)

Rally Bar Mini (supports up to 2 cables)

Rally (supports 1 cable)

Rally Plus (supports 1 cable)

### Product Dimensions

Cable Length: 32.80 ft (10 m)

Cable Thickness: 0.16in (4.2 mm)

### Package Contents

Rally Mic Pod Extension Cable

Documentation

### Part Numbers and UPC

939-001799

# ACCESSORIES FOR RALLY VIDEO BARS



## TV MOUNT FOR VIDEO BARS

Float Rally Bar Mini or Rally Bar above or below a TV or monitor for a sleek installation and minimal footprint.

- Flexible and flush mounting depths and thoughtful cable routing
- Fits most displays with versatile swing-arm design
- Optimizes viewing angle for above-display installations with 10° tilt down adapter

### General Specifications

- Swing-arm design
- Mount compatible devices above or below the display
- Adjustable depth up to 50mm
- Adjustable horizontal level +/- 1°
- 10° video bar tilt down adapter for above-display angle optimization

### Compatibility

Wall or cart-mounted displays up to 98in (247.92 cm) with VESA mounting points

### System Requirements

- Rally Bar
- Rally Bar Mini
- Rally Camera

### Product Dimensions

Swing-arm length (max.): 2.95 ft / 900mm

### Package Contents

- VESA-compatible TV Mount
- Mounting Plate for Rally Bar
- Mounting Plate for Rally Bar Mini
- Fasteners and mounting hardware

### Part Numbers

952-000041



## WALL MOUNT FOR VIDEO BARS

Mount Rally Bar Mini or Rally Bar on the wall for a finished appearance and minimal footprint.

- Works with video bar's built-in cable retention cover for a secure connection
- VESA mounting pattern compatible with mobile carts
- Optimizes viewing angle for elevated placement with 10° tilt down adapter

### General Specifications

- Mounts compatible devices to a wall or mobile cart
- Adjustable horizontal level +/- 1°
- 10° video bar tilt down adapter for high-position angle correction

### Compatibility

Also compatible with mobile carts with a standard VESA mounting pattern

### System Requirements

- Rally Bar
- Rally Bar Mini

### Product Dimensions

Height: 3.94 in / 100mm  
Width: 9.29 in / 236mm  
Depth: 3.31 in / 84mm

### Package Contents

- Wall Mount
- Tilt Down Adapter
- Screws
- Documentation

### Part Numbers

952-000044

# ACCESSORIES FOR RALLY SYSTEM (RALLY AND RALLY PLUS)



## RALLY MOUNTING KIT

For the modular Rally system, includes mounts for the camera, speakers, and hubs for a neat appearance and secure, unobtrusive cabling.

Sturdy camera mount inverts 180° to support near-ceiling installation

Float speakers on the wall with two low profile brackets

Includes ventilated mounts and cable retention brackets for Table and Display hubs

Available in graphite or white

## General Specifications

Mounts for the Rally system’s camera, speakers, and hubs

Invertible camera bracket for near-ceiling installation

Low-profile speaker brackets for a floating appearance

Ventilated hub mounts with cable retainers

## Compatibility

Logitech Rally or Logitech Rally Plus

Note: Rally Mounting Kit is designed for Logitech Rally systems only.  
Rally Mic Pod Mount available separately.

## Package Contents

- Camera Bracket (1)
- Speaker Brackets (2)
- Table Hub Mount
- Display Hub Mount
- Hub Mount Cable Retainers (2)
- Fasteners
- Documentation

## Part Numbers

939-001644



## RALLY SPEAKER

Add a second speaker to Rally systems originally configured with a single speaker.

Broadens the soundstage for room-filling sound at comfortable volume levels

Receives both signal and power from the Rally Display Hub

Pleasing symmetrical appearance

## General Specifications

High-performance 76 mm driver with rare-earth magnet

Patent-pending suspension system eliminates vibration-induced camera shake and audio interference

Mini XLR cable (9.6 ft / 2.95m) connects to Rally Display Hub for both signal and power

Compatible with customer-supplied Mini XLR extension cables up to 9.8 ft (3m)

Speaker volume:  
95 dB SPL @1 W, 100 dB SPL @7.5 W, both +/-2 dB at ½ meter

Distortion:  
200 Hz–300 Hz < 2.5%, 300 Hz–10 kHz < 1% @7.5 W

Speaker sampling rate: 48 kHz

## System Requirements

Logitech Rally system with one speaker

Maximum speakers per system: 2

Note: Not compatible with Rally Bar, Rally Bar Mini, or the standalone USB Rally Camera.

## Product Dimensions

Height: 4.05 in / 103mm

Width: 17.67 in / 449mm

Depth: 3.15 in / 80mm

## Package Contents

- Rally Speaker with captive 9.6 ft (2.95m) Mini XLR cable
- Documentation

## Part Number

960-001230

# ACCESSORY COMPATIBILITY



Product Name	RALLY BAR MINI	RALLY BAR	RALLY	RALLY PLUS	RALLY CAMERA
Rally Mic Pod	Up to 2*	Up to 3*	Up to 7 (1 included)	Up to 7 (2 included)	
Rally Mic Pod Mount	✓*	✓*	✓	✓	
Rally Mic Pod Hub	✓*	✓*	✓	✓	
Rally Mic Pod Extension Cable	✓*	✓*	✓	✓	
Rally Mounting Kit			✓	✓	Wall mount included
TV Mount for Video Bars	✓	✓			✓
Wall Mount for Video Bars	✓	✓			Wall mount included
Swytch	✓	✓	✓	✓	✓

\*When the built-in microphone array is extended with external Rally Mic Pods

## WARRANTY

2-year limited hardware on all Rally Accessories

## DEVICE MANAGEMENT

Logitech Sync supports device management for Rally Mic Pod, Rally Mic Pod Hub, and Rally Speaker accessories

## PRODUCT INFORMATION

Rally Mic Pod:

[www.logitech.com/mic-pod-for-rally](https://www.logitech.com/mic-pod-for-rally)

Mic Pod Mount:

[www.logitech.com/mic-pod-mount](https://www.logitech.com/mic-pod-mount)

Rally Mic Pod Hub:

[www.logitech.com/hub-for-rally-mic-pod](https://www.logitech.com/hub-for-rally-mic-pod)

Rally Mic Pod Extension Cable:

[www.logitech.com/rally-mic-ext-cable](https://www.logitech.com/rally-mic-ext-cable)

TV Mount For Video Bars:

[www.logitech.com/tv-mount-video-bar](https://www.logitech.com/tv-mount-video-bar)

Wall Mount For Video Bars:

[www.logitech.com/wall-mount-video-bars](https://www.logitech.com/wall-mount-video-bars)

Rally Mounting Kit:

[www.logitech.com/rally-mounting-kit](https://www.logitech.com/rally-mounting-kit)

Rally Speaker:

[www.logitech.com/rally-speaker](https://www.logitech.com/rally-speaker)

Swytch:

[www.logitech.com/swytch](https://www.logitech.com/swytch)

[www.logitech.com/vc](https://www.logitech.com/vc)

### Americas

7700 Gateway Blvd  
Newark, CA 94560 USA

### Logitech Europe S.A.

EPFL - Quartier de  
l'Innovation Daniel Borel  
Innovation Center  
CH - 1015 Lausanne

### Logitech Asia Pacific Ltd.

Tel: 852-2821-5900  
Fax: 852-2520-2230

© 2021 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered. All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.